

WILD ORCHIDS of COLLIER COUNTY

KEYS: *found in:* P=pinelands, G=wet grass prairies, H=hammocks, C=cypress swamp forest, S=mixed swamp forest
bloom period: x=usual period, o=heaviest blooming
habitat: (T)=primarily terrestrial, (E)=primarily epiphytic

orchid	<i>found in</i>	<i>blooming periods</i>											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Bletia</i> (T)													
Pine-Pink • <i>B. purpurea</i>	P, S	x	x	x	x	x	-	-	-	-	-	-	x
<i>Calopogon</i> (T)													
Many-flowered Grass-Pink • <i>C. multiflorus</i>	G	-	-	x	o	x	x	x	-	-	-	-	-
Pale Grass-Pink • <i>C. pallidus</i>	G	-	-	x	x	x	x	x	-	-	-	-	-
Grass-Pink • <i>C. tuberosus</i>	P, G	-	-	x	x	x	x	x	x	-	-	-	-
<i>Campyocentrum</i> (E)													
Crooked-Spur Orchid • <i>C. pachyrrhizum</i>	S	-	-	-	-	-	-	-	-	x	x	-	-
<i>Cranichis</i> (T)													
Moss-loving Cranichis • <i>C. muscosa</i>		x	x	-	-	-	-	-	-	-	-	-	-
<i>Cyrtopodium</i> (E)													
Cowhorn Orchid • <i>C. punctatum</i>	C, S	-	-	x	x	x	-	-	-	-	-	-	-
<i>Encyclia</i> (E)													
Florida Butterfly Orchid • <i>E. tampensis</i>	S	x	x	-	-	x	x	x	-	-	-	x	-
Clam-Shell Orchid • <i>E. cochleata</i>	S	x	x	x	x	x	x	x	-	o	o	x	x
Dwarf Butterfly Orchid • <i>E. pygmaea</i>	S	x	x	-	-	-	-	-	-	-	x	x	x
<i>Epidendrum</i> (E)													
Dingy-Flowered Epidendrum • <i>E. anceps</i>	S	x	x	x	x	x	x	x	-	-	x	-	-
Umbelled Epidendrum • <i>E. difforme</i>	S	-	-	-	-	-	-	-	x	x	x	x	-
Night-Fragrant Epidendrum • <i>E. nocturnum</i>	S	-	-	-	-	-	-	x	x	x	x	x	x
Rigid Epidendrum • <i>E. rigidum</i>	S	x	x	x	x	x	-	-	-	x	x	x	x
Twisted Epidendrum • <i>E. strobiliferum</i>	S	-	-	-	-	-	-	-	-	x	x	x	-
<i>Eulophia</i> (T)													
Wild Coco • <i>E. alta</i> (purple blooms)	S, H	-	-	-	-	-	-	x	x	x	x	x	x
Crestless Lip • <i>E. ecristata</i> (yellow blooms)	S, H	-	-	-	-	-	-	x	x	x	-	-	-
<i>Habenaria</i> (T)													
False Water-Spider Orchid • <i>H. distans</i>	C, S	-	-	-	-	-	-	-	x	x	-	-	-
Long-horned Habenaria • <i>H. macroceratitidis</i>	P	-	-	-	-	-	-	-	x	-	-	-	-
Rein Orchid • <i>H. odontopetala</i>	H	x	x	-	-	-	-	-	-	x	x	x	x
Michaux's Orchid • <i>H. quinqueseta</i>	P	x	-	-	-	-	-	-	x	x	x	x	x
Water Spider Orchid • <i>H. repens</i>	C, S	x	x	-	-	x	x	x	x	x	x	x	x
<i>Harrisella</i> (E)													
Jingle Bell Orchid • <i>H. porrecta</i>	C	-	-	-	-	-	-	-	x	x	x	x	-
<i>Ionopsis</i> (T)													
Delicate Ionopsis • <i>I. ultricularioides</i>	C, S	x	x	x	x	-	-	-	-	-	-	-	x
<i>Lepanthopsis</i> (E)													
Crimson (Tiny) Lepanthopsis • <i>L. melanantha</i>	S	x	x	x	x	x	x	x	x	x	x	x	x
<i>Liparis</i> (T)													
Shiny Leaf • <i>L. elata</i>	C, S	-	-	-	-	-	-	x	x	x	-	-	-
<i>Malaxis</i> (T)													
Florida Adder's-Mouth • <i>M. spicata</i>	C, S	x	-	-	-	-	-	-	x	x	x	x	x
<i>Maxillaria</i> (E)													
False Butterfly Orchid • <i>M. crassifolia</i>	C	x	-	-	-	-	-	-	-	x	x	x	x
Densely-flowered Maxillaria • <i>M. parviflora</i>													
<i>Oncidium</i> (T)													
Florida Oncidium • <i>O. floridanum</i> (rare)	S	-	-	-	-	x	x	x	x	-	-	-	-
Mule-eared Orchid • <i>O. undulatum</i>													
<i>Platanthera</i> (T)													
Snowy Orchid • <i>P. nivea</i>	G	-	-	-	-	x	x	x	-	-	-	-	-

WILD ORCHIDS of COLLIER COUNTY

KEYS: *found in:* P=pinelands, G=wet grass prairies, H=hammocks, C=cypress swamp forest, S=mixed swamp forest
bloom period: x=usual period, o=heaviest blooming
habitat: (T)=primarily terrestrial, (E)=primarily epiphytic

orchid	found in	blooming periods											
		J	F	M	A	M	J	J	A	S	O	N	D
<i>Platythelys</i> (T) Cuban Ground Orchid • <i>P. sagreana</i> (rare)													
<i>Pleurothallis</i> (E) Frosted Flower • <i>P. gelida</i>	S	x	x	x	x	-	-	-	-	-	-	-	x
<i>Polyradicion</i> (E) Ghost Orchid • <i>P. lindenii</i>	C, S	-	-	-	x	x	x	o	x	-	-	-	-
<i>Polystachya</i> (E) Pale-Flowered Polystachya • <i>P. concreta</i>	C, S	x	x	x	x	x	x	x	x	o	o	o	x
<i>Ponthieva</i> (T) Mrs. Britton's Shadow-Witch • <i>P. brittoniae</i>	H	x	x	-	-	-	-	-	-	-	-	-	x
Shadow-Witch • <i>P. racemosa</i>	H	x	x	-	-	-	-	-	-	x	x	x	x
<i>Spiranthes</i> (T) Speckled Ladies'-Tresses • <i>S. cranichoides</i>	G	-	-	x	-	-	-	-	-	-	-	-	-
Leafless Beaked Orchid • <i>S. lanceolata</i>	G, S	-	-	-	x	x	x	-	-	-	-	-	-
Fakahatchee Beaked Orchid • <i>S. lanceolata</i>	S	x	x	x	-	-	-	-	-	-	-	-	-
Eaton's Ladies'-Tresses • <i>S. eatonii</i>													
Lace-lipped Ladies'-Tresses • <i>S. lacimata</i>	G	-	-	-	x	x	x	x	-	-	-	-	-
Long-Lipped Ladies'-Tresses • <i>S. longilabris</i>	S	-	-	-	-	-	-	-	-	-	-	x	x
Fragrant Ladies'-Tresses • <i>S. odorata</i>	S, C	x	x	-	-	-	-	-	-	x	x	x	x
Giant Ladies'-Tresses • <i>S. praecox</i>	S	-	x	x	x	x	x	-	-	-	-	-	-
Southern Ladies'-Tresses • <i>S. tortilis</i>	P	-	-	-	-	x	x	-	-	-	-	-	-
Spring Ladies'-Tresses • <i>S. vernalis</i>	S	-	x	x	x	x	x	x	x	-	-	-	-
<i>Triphora</i> (T) Craighead's Triphora • <i>T. craigheadii</i>							x	x	-	-	-	-	-
<i>Vanilla</i> (E) Leafy Vanilla • <i>V. phaeantha</i>	S	-	-	-	-	x	x	x	x	x	-	-	-
Commercial Vanilla • <i>V. planifolia</i>	S	-	-	-	x	-	-	-	-	-	-	-	-
Introduced or Escaped													
• <i>Epidendrum radicans</i>													
• <i>Oeceoclades maculata</i>													
Lawn Orchid (T) • <i>Zeuxine strateumatica</i>	P, G	x	-	-	-	-	-	-	-	-	-	-	x

Bloom verification compiled by Paul Martin Brown, Ocala FL, using Fairchild Tropical Gardens Bulletin, Florida Orchidist, Native Orchid Journal, Harvard Papers in Botany, Lindleyana, Rhodora, Icones Orchidacearum, A.O.S. Bulletin, Orchids of Puerto Rico and the Virgin Islands, Orquidea, Phytologia, Brittonia, Selbyana

Bloom dates compiled by Bruce Tatje (Florida Atlantic University), Mike Owen (Fakahatchee), and from Luer, using field observations, Long & Lakela, Luer